



NOTES:

- HIKE AND BIKE SURFACE MATERIAL SHALL BE EITHER GRANITE GRAVEL, HMAC, OR CONCRETE. DEPTH SHALL BE AS INDICATED IN THE CONSTRUCTION DOCUMENTS, BUT SHALL NOT BE LESS THAN SHOWN.
- DEPTH OF RIBBON CURB OR BLOCKS SHALL MATCH THE DEPTH OF THE HIKE AND BIKE TRAIL SURFACE.
- ALL HIKE AND BIKE TRAILS SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE REQUIREMENTS AMERICANS WITH DISABILITIES ACT (ADA).
- CONCRETE EXPANSION JOINTS SHALL BE PROVIDED IN ACCORDANCE WITH SD-10.

* A MINIMUM WIDTH OF 10' SHALL BE REQUIRED FOR EMERGENCY ACCESS THROUGH THE ENTIRE LENGTH OF HIKE AND BIKE TRAILS THAT SHALL EXTEND MORE THAN 200' FROM PUBLIC RIGHT OF WAY. ALL WIDTHS SHALL BE AS REQUIRED BY THE CITY OF MARBLE FALLS.

SCALE: NOT TO SCALE



MARBLE FALLS
800 THIRD STREET
MARBLE FALLS, TX 78654
PH: (830) 693-6737

These documents were prepared by,
or under the supervision of:

ERIC BELAJ 107148 May 31, 2017
Engineer's Name PE# Date

Engineer's Signature

SECTION

PAVING

DETAIL NO.

PV-33

TITLE

HIKE & BIKE
TRAIL SECTION (1 OF 2)