



SERVICE NOTES:

1. PROPOSED GRINDER PUMP SYSTEM MANUFACTURER & MODEL, AS WELL AS SUPPORTING PUMP SIZING CRITERIA, SHALL BE SUBMITTED TO THE CITY OF MARBLE FALLS FOR APPROVAL PRIOR TO INSTALLATION.
2. SEWER FORCE MAIN WILL REQUIRE FLUSHING A MINIMUM OF ONCE EVERY TWO (2) WEEKS, OR AS DETERMINED BY THE CITY OF MARBLE FALLS.
3. SIZE OF SERVICE PIPE AND VALVES SHALL BE CONSTANT THROUGHOUT THE SERVICE LEAD.
4. SIZE OF SERVICE LEAD SHALL BE AS CALLED OUT IN THE CONTRACT DOCUMENTS.

SCALE: NOT TO SCALE



MARBLE FALLS
 800 THIRD STREET
 MARBLE FALLS, TX 78654
 PH: (830) 693-6737

These documents were prepared by,
 or under the supervision of:

ERIC BELAJ 107148 May 31, 2017
 Engineer's Name PE# Date

Engineer's Signature

SECTION WASTEWATER
DETAIL NO. WW-26
TITLE LONG NON-RESIDENTIAL FM SERVICE LINE PLAN